


ANSI/SPRI/FM4435/ES-1 TEST PRESSURES UP TO 911 PSF (VERTICAL) AND 526 PSF (HORIZONTAL)



PRE-DRILL WITH 3/16-IN. DRILL BIT FOR MASONRY CONDITIONS.  
 CONTACT OMG FOR APPROPRIATE RECOMMENDATIONS NEEDED TO MEET/EXCEED  
 ANSI/SPRI/FM4435/ES-1 DESIGN CRITERIA

**APPLICATIONS**  
 SINGLE-PLY MEMBRANES

**SIZES:**  
 SEE DRAWING

**NOTES:**  
 1—REFER TO ROOF MEMBRANE MANUFACTURER FOR THEIR APPROVED INSTALLATION DETAIL.  
 2—TESTED IN ACCORDANCE WITH ANSI/SPRI/FM4435/ES-1.

ANSI/SPRI/FM4435/ES-1 TESTED



<b>HICKMAN</b>		4 Commerce Way Arden, NC 28704 828-676-1700 hickmanedgesystems.com	
<b>EDGE SYSTEMS</b>			
NAME:	EDGEBOX RI		
DESIGN BY: FL	DATE: 03/16/2020	SCALE:	
APPROVED BY: KP	DATE: 03/16/2020	SCALE:	NOT TO SCALE
		SHEET:	1 OF 1