


ANSI/SPRI/FM4435/ES-1 TEST PRESSURES UP TO 118 (VERTICAL) AND 68 PSF (HORIZONTAL)



FOR MASONRY APPLICATIONS, PLEASE CONTACT OMG.

CONTACT OMG FOR APPROPRIATE RECOMMENDATIONS NEEDED TO MEET/EXCEED ANSI/SPRI/FM4435/ES-1 DESIGN CRITERIA

APPLICATIONS
SINGLE-PLY MEMBRANES
MODIFIED BITUMEN
BUR

SIZES:
SEE DRAWING

NOTES:

- 1-REFER TO ROOF MEMBRANE MANUFACTURER FOR THEIR APPROVED INSTALLATION DETAIL.
- 2-TESTED IN ACCORDANCE WITH ANSI/SPRI/FM4435/ES-1.

ANSI/SPRI/FM4435/ES-1 TESTED

HICKMAN
EDGE SYSTEMS

4 Commerce Way
Ashe, NC 28704
929-675-1700
hickmanedgesystems.com

HMSD: ROOFER'S EDGE COPING			
DESIGN: PL	DATE: 03/20/2020	BY:	
APPV: KP	DATE: 03/20/2020	SCALE: NOT TO SCALE	SHEET: 1 OF 1