




SECUREDGE SYSTEM 200 FASCIA

SNAP-ON, SINGLE-PLY VERSION



DIMENSIONS

PRODUCT ID. NO.	H DIM	X DIM	NAILER COVERAGE
☐ FA-50	5 1/4"	2 7/8"	1 NAILER
☐ FA-65	6 3/4"	4 3/8"	2 NAILERS
☐ FA-80	8 1/4"	5 7/8"	3 NAILERS
☐ FA-95	9 3/4"	7 3/8"	4 NAILERS
☐ FA-110	11 1/4"	8 7/8"	5 NAILERS
☐ FA-125	12 3/4"	10 3/8"	6 NAILERS

MATERIAL

- ☐ 24 Ga. Galv. Steel
☐ 22 Ga. Galv. Steel
☐ .040" Aluminum
☐ .050" Aluminum
☐ .063" Aluminum
☐ OTHER: _____

Color: _____
Finish: _____

Substrate: ☐ Wood
If substrate is not given, wood fasteners will be provided. ☐ Masonry
☐ Metal

QUANTITIES

_____ Lineal Feet (12'-0" Lengths)
_____ Outside Miter (90°)
_____ Inside Miter (90°)
_____ Right Endcaps
_____ Left Endcaps

_____ Right Endwall Flashing
_____ Left Endwall Flashing
Accessory Type:
☐ Quicklock (Default)
☐ Welded (Surcharge)

_____ Overflow Scupper
☐ Style A
☐ Style B
_____ Spillout Scupper
☐ Style A
☐ Style B
_____ Downspout Scupper
☐ Style A ☐ Style B
Size _____x_____
Style A=Tapered 1.5" Drop | Style B=Flat

NOTES

- Fascia includes splice plate at joints
- Standard fascia will not function with TPO or PVC strip-in membrane thicker than .060"
- Oil canning can occur on larger face heights; recommend .050" or .063" for face heights above 8.25"
- Welded accessories require minimum material thickness of .050"
- Unless otherwise noted, fabrication of miters and accessories are furnished standard
- For non-90 miters, see separate print approval
- Product should be installed per provided installation instructions
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 216 psf

APPROVALS



ANSI/SPRI/FM 4435/ES-1
Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type: _____

☐ By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

Carlisle SynTec Systems
Customer Service
866-458-3537
(Metal-Era)

SHT# 1 of 1

DATE: 12/21/ 21

DRN BY: JJC

CKD BY: MM

DWG #: 15010-21527

REV: E