

WIND RESISTANT GUTTER QUICKLOCK RADIUS

BOX

PROVIDING A RADIUS

THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1) THE ACTUAL KNOWN RADIUS IS



OR

2) FIELD CONDITION MEASUREMENTS



NOTE: REFER TO RADIUS WORKSHEET FOR MORE INFORMATION.



NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS
DETAIL A

2-PIECE EXTRUDED ALUM. BRACKET,
1" WIDE @ 2'-0" OC

W/ CONCEALED SPLICES, 6" WIDE-
GUTTER FORMED IN 4'-0" LENGTHS



IMPORTANT!

MUST INDICATE THE PROPER RADIUS CONDITION BY CIRCILING APPROPRIATE OUTSIDE FACE.

NOTES

- Bottom sizes are provided in 1/2" increments
- Maximum downspout dimension not to exceed "B" minus 9/16"
- Pop rivets provided
- Product should be installed per provided installation instructions
- ANSI/SPRI GT-1 Test Pressure up to 223 psf (Horizontal) and 136 psf (Vertical)

APPROVALS



ANSI/SPRI/GT-1
Test Pressures listed in notes

PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

Hickman Edge Systems

4 Commerce Way
Arden, NC 28704
Phone: 828-676-1700
www.hickmanedgesystems.com

SHT# _____ of _____

DATE: **05/17/23**

DRN BY: **PL/JJC**

CKD BY: **MM**

DWG #: 64012-40810

REV: **B**

DIMENSIONS

| SELECT SIZE | A (FACE) | B (BOTTOM) | C (BACK) |
|--------------------------|----------|------------|----------|
| <input type="checkbox"/> | 5 1/4" | 5 1/4" | 6 1/4" |
| <input type="checkbox"/> | 5 3/4" | 5 3/4" | 6 3/4" |
| <input type="checkbox"/> | 6 1/4" | 6 1/4" | 7 1/4" |
| <input type="checkbox"/> | 6 3/4" | 6 3/4" | 7 3/4" |
| <input type="checkbox"/> | 7 1/4" | 7 1/4" | 8 1/4" |
| <input type="checkbox"/> | 7 3/4" | 7 3/4" | 8 3/4" |

MATERIAL

24 Ga. Galv. Steel

Color: _____

22 Ga. Galv. Steel

Finish: _____

.040" Aluminum

Substrate:

.050" Aluminum

Wood

.063" Aluminum

If substrate is not given, wood fasteners will be provided.

Masonry

OTHER: _____

Metal

QUANTITIES

_____ Lineal Feet (4'-0" Lengths)