


# SecurEdge 300 Plus Coping

## Order Specification Form

ANSI/SPRI/FM4435/ES-1 TEST PRESSURES UP TO 156 PSF (VERTICAL) , AND 90 PSF (HORIZONTAL)



FACE SIZE	DIM. H
FACE < 4-3/4-IN.	3/4-IN.
4-3/4-IN. ≤ FACE ≤ 7-1/2-IN.	2-1/4-IN.
7-1/2-IN. < FACE ≤ 9-IN.	3-3/4-IN.
9-IN. < FACE ≤ 10-1/2-IN.	5-1/4-IN.
10-1/2-IN. < FACE ≤ 12-IN.	6-3/4-IN.

FOR MASONRY APPLICATIONS, PLEASE CONTACT US.  
CONTACT US FOR APPROPRIATE RECOMMENDATIONS NEEDED TO MEET/EXCEED  
ANSI/SPRI/FM4435/ES-1 DESIGN CRITERIA

APPROVALS	COVER MATERIAL	THICKNESS	COVER FINISH
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 10px;">ANSI/SPRI/FM 4435 /ES-1 TESTED</div> </div>	Aluminum Galvanized Steel Stainless Steel	24Ga. 22Ga. .040 in. .050 in. .063 in. .080 in.	Mill Prefinished Kynar Premium Prefinished Kynar Post Finished Kynar Prefinished Anodized Post Finished Anodized
<b>QUANTITY</b> Attach Sketches of Z- and T- Miters	<b>ACCESSORY TYPE</b> Welded Metal-Lok	<b>CUSTOMER APPROVAL</b> <div style="display: flex; justify-content: space-between;"> <span>Approved for Fabrication</span> <span>Approved with Changes</span> <span>Not Approved</span> </div> <hr/> Authorized Customer Signature	
_____ Straight Length 10' Lengths _____ Total Miters (Inside: _____ / Outside: _____) _____ Total End Caps (Left: _____ / Right: _____) _____ Total End Terms (Left: _____ / Right: _____) _____ Transition Miters _____ T-Miter _____ Z-Miter _____ Radius (Welded) _____ Radius to Straight Miter (Welded) _____ Radius End Cap _____ Vault (Welded) _____ Vault to Straight Miter (Welded) _____ Vault End Cap (Welded) _____ Ridge Miter _____ Valley Miter	Title _____ Date _____		
<b>COLOR</b> _____	Job Name: _____		
	Project Location: _____		
	Customer: _____		
	Representative: _____		

# SecurEdge 300 Plus Coping

