# SecurEdge 300 Coping

Order Specification Form

ANSI/SPRI/FM4435/ES-1 TEST PRESSURES UP TO 139 PSF (VERTICAL), AND 82 PSF (HORIZONTAL)

COPING CAP FORMED IN 10-FT. LENGTHS

CONCEALED SPLICE WITH FORMED WINGS, 6-IN. WIDE

20GA CLIP, 12-in. WIDE SPACED @ 40-in. O.C.

MEMBRANE

1-IN.

1-1/4-IN.

3/4-IN.

1-1/2-IN.

3/4-IN.

Measurement

FACE MIN=3-1/4-IN. MAX=12-IN.

DIM. H SEE TABLE

BACK MIN=3-IN. MAX=4-IN.

Measurement

#14 X 1-1/2-IN. UNIVERSAL FASTENER PROVIDED, 4 PER CLIP

1-1/2-IN. S.S. RING SHANK NAILS PROVIDED, 4 PER CLIP FACE

BLOCKING BY OTHERS

3/8 IN. ALLOWANCE FOR WALL VARIATION

WALL WIDTH MIN=6-IN. MAX=24-IN.

Measurement

FACE SIZE	DIM. H
FACE < 4-3/4-IN.	3/4-IN.
4-3/4-IN. ≤ FACE ≤ 7-1/2-IN.	2-1/4-IN.
7-1/2-IN. < FACE ≤ 9-IN.	3-3/4-IN.
9-IN. < FACE ≤ 10-1/2-IN.	5-1/4-IN.
10-1/2-IN. < FACE ≤ 12-IN.	6-3/4-IN.

FOR MASONRY APPLICATIONS, PLEASE CONTACT US.

CONTACT US FOR APPROPRIATE RECOMMENDATIONS NEEDED TO MEET/EXCEED ANSI/SPRI/FM4435/ES-1 DESIGN CRITERIA

APPROVALS

ANSI/SPRI/FM 4435 /ES-1 TESTED

CLASSIFIED UL

QUANTITY   Attach Sketches of Z- and T- Miters

_____ Straight Length 10' Lengths

_____ Total Miters   (Inside: _____ / Outside: _____)

_____ Total End Caps   (Left: _____ / Right: _____)

_____ Total End Terms   (Left: _____ / Right: _____)

_____ Transition Miters

_____ T-Miter

_____ Z-Miter

_____ Radius (Welded)

_____ Radius to Straight Miter (Welded)

_____ Radius End Cap

_____ Vault (Welded)

_____ Vault to Straight Miter (Welded)

_____ Vault End Cap (Welded)

_____ Ridge Miter

_____ Valley Miter

COLOR

_____

COVER MATERIAL

Aluminum

Galvanized Steel

Stainless Steel

ACCESSORY TYPE

Welded

Metal-Lok

THICKNESS

24Ga.

22Ga.

.040 in.

.050 in.

.063 in.

.080 in.

COVER FINISH

Mill

Prefinished Kynar

Premium Prefinished Kynar

Post Finished Kynar

Prefinished Anodized

Post Finished Anodized

CUSTOMER APPROVAL

Approved for Fabrication   Approved with Changes   Not Approved

_____
Authorized Customer Signature

_____
Title   Date

Job Name:

Project Location:

Customer:

Representative:

SecurEdge 300 Coping

FACE

1/4"
GAP

FACE

COPING CAP
CONCEALED SPLICE
COPING CLIP

90°

FACE   FACE

24" NOM.   24" NOM.

Outside Miter

24" NOM.   24" NOM.

FACE   FACE

90°

Inside Miter

LH SHOWN   FACE

24" NOM.

End Cap

RH SHOWN   FACE

24" NOM.

End Term